

# Infectious Disease Hepatology Clinic HCV Treatment Flow Sheet

Depression Questionnaire completed at baseline and every visit while on therapy

Week	Injection (Initials of RN)	Depression Score	CBC	HCV Viral Load	CMP	HIV Viral Load (if HIV+)	CD4 count (if HIV+)	UPT	TSH	Weight
Baseline		X	X	X	X	X	X	X	X	
1	X	X								
2	X	X								
3	X	X	X							
4	X	X								
5	X	X	X	X						
6	X	X								
7	X	X	X							
8	X	X								
9	X	X	X							
10	X	X								
11	X	X	X							
12	X	X								
13	X	X	X	X	X	X	X		X	
Patient takes own injections weekly at home for weeks 14-24, 26-36, 38-48 (50-60, 62-72)										
25, 37, 49 (61, 73)	X	X	X	X	X	X	X		X	

12 weeks after completion of therapy: Hepatitis C viral load (quantitative) \_\_\_\_\_, TSH \_\_\_\_\_  
 24 weeks after completion of therapy: Hepatitis C RNA PCR (qualitative) \_\_\_\_\_

## TREATMENT

Pegylated Interferon: \_\_\_\_\_ Pegasys 180 mcg SQ weekly OR  
 \_\_\_\_\_ Peg-Intron (~1.3 mg/kg) SQ weekly: dose \_\_\_\_\_ concentration \_\_\_\_\_

Ribavirin (~13 mg/kg/day): 200 mg \_\_\_\_\_ capsules in AM, \_\_\_\_\_ capsules in PM

HCV Protease Inhibitors:

\_\_\_\_\_ Boceprevir 200 mg (4) po TID (start on week four of treatment)--no data in HIV

\_\_\_\_\_ Telaprevir 375 mg (2) po TID for weeks 1-12 if mono-infected or on atazanavir

\_\_\_\_\_ Telaprevir 375 mg (3) po TID for weeks 1-12 if on efavirenz

Length of therapy:

Genotype 1 or 4: HIV-Negative: 48 weeks

HIV-Positive: 48 weeks if viral load undetectable at 5 weeks, otherwise 72 weeks

Genotype 2 or 3: HIV-Negative: 24 weeks

HIV-Positive: 24 weeks if viral load undetectable at 5 weeks, otherwise 48 weeks

Provider Signature \_\_\_\_\_

Date \_\_\_\_\_



**DELTA REGION AIDS EDUCATION AND TRAINING CENTER**

deltaaetc.org